

Depron foam

Depron Aero

Document: Technical Data Sheet / Fiche technique

Product: Depron - Aero

Parameter	Specification		
Material / Matériel:	Extruded Polystyrene foam, formed as sheets / Mousse de polystyrène extrudé, constitué sous forme de feuilles		
Thickness / Epaisseur:	3mm (± 10%)	6mm (±8%)	9mm (±8%)
Colour / Couleur:	White	White	White
Size / Taille:	1250x800mm (±4mm x ±2mm)	1250x800mm (±4mm x ±2mm)	1000x700mm (±4mm x ±2mm)
Full box qty / Qté boîte pleine:	40 sheets	20 sheets	13 sheets
Density / Densité:	33kg/m ³ (±10%)	28kg/m ³ (±10%)	28kg/m ³ (±10%)
Weight / Poids:	Ca. 100g/m ² (± 10%)	Ca. 168g/m ² (± 10%)	Ca. 252g/m ² (± 10%)
Compressive Strength / Résistance en compression: (10% compression)	>100kPa	>100kPA	>120kPa
Absorption of water / Absorbsion de l'eau:	< 0.1 Vol%	< 0.1 Vol%	< 0.1 Vol%
Application Temperature / Température d'application:	-60°C / +70°C	-60°C / +70°C	-60°C / +70°C
Fire Classification / Classement au feu:	F	F	F